

Ultra Texture Paint Remover

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name Ultra Texture Paint Remover

Use Adhesive Remover

Manufacturer Ultratex Wall Cladding & Coating
15A Malcom Ct
Kealba VIC 3021 Australia
Ph +61 3 9364 4489

2. HAZARDS IDENTIFICATION

Hazardous Substance according to criteria of NOHSC

Non-Dangerous Good according to criteria of the ADG code

Risk Phrases

R36/38 Irritating to eyes and skin
R43 May cause sensitization by skin contact

Safety Phrases

S2 Keep out of reach of children
S24 Avoid contact with skin.
S37 Wear suitable gloves.
S41 In case of fire and/or explosion do not breathe fumes.

3. COMPOSITION / II FORMATION (INGREDIENTS

Substance	Proportion	CAS Number
N-methyl-2-pyrrolidone	10 – 30%	872-50-4
d-limonene	10 – 30%	5989-27-5
Other ingredients not classified as hazardous	30 – 60%	

4. FIRST AID MEASURES

Ingestion

If swallowed **DO NOT** induce vomiting. Seek immediate medical attention.

Ultra Texture Paint Remover

Eye contact

Flush eyes with large amounts of water until irritation subsides. Hold eye lids apart. Seek medical attention if irritation persists.

Skin contact.

Remove contaminated clothing and flush skin and hair with large amounts of water and wash area with soap. Seek medical attention for skin irritations.

Inhalation

Move the affected person from the exposure into fresh air.

First Aid Facilities

Eye baths and hand wash basin.

Advice to Doctor

Treat according to symptoms.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, foam and water spray. **DO NOT USE WATER IN JET**
Do not discharge extinguishing waters into aquatic environment.

Hazards from Combustion Products

Under fire conditions, toxic and obnoxious fumes are emitted – carbon dioxides and nitrogen oxides.

Precautions for fire fighters and special protective equipment

Full protective clothing and self-contained breathing apparatus.

Hazchem Code

Not regulated

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Shut off any ignition sources. Contain the spill to avoid environment contamination.

Methods and materials for containment

Contain the spill using absorbent or inert material such as sand or earth. Clean up the spill area and containerise the contaminated material for disposal. Do not flush to drains or waterways.

Ultra Texture Paint Remover

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid contact with skin and eyes.

Conditions for Safe Storage

Store in a cool dry area and out of direct sunlight. Keep container closed when not using product.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National Exposure Standards

There is no exposure standard available for this product. The following data is available for n-methyl-2-pyrrolidone

TWA is 103 mg/cubic metre (25 ppm) This is the highest allowable exposure concentration in an eight-hour day for a five day working week.
STEL is 309mg/cubic metre. (75 ppm) This is the maximum allowable exposure concentration at any time.

Engineering Controls

Maintain adequate ventilation at all times.

Personal Protection Equipment

Eye Use safety glasses with side shields, goggles or full-face shield.

Skin Wear chemical resistant gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Cloudy, viscous liquid
Boiling Point/Range	No data
Specific Gravity	1
Flash Point	Not available
Flammability Limits	Not available
Solubility in water	Miscible with water

Ultra Texture Paint Remover

10. STABILITY AND REACTIVITY

Chemical Stability

Stable under normal storage and handling conditions

Hazardous Decomposition Products

Under fire conditions, toxic fumes are emitted. Releases oxides of carbon and other organic compounds.

Hazardous reactions

Will not occur

Incompatible Materials

Strong oxidizing agents

Conditions to avoid

Heat, flames and ignition sources

11. TOXICOLOGICAL INFORMATION

Acute Health

Effects Ingested

Harmful. May cause lung damage on vomiting. If material enters lungs, signs and symptoms may include coughing, choking and difficulty breathing. May cause irritation to mouth, throat and stomach.

Eye

May cause irritation to the eyes including a burning sensation, redness, swelling and blurred vision.

Skin

May cause irritation to the skin including dry skin and redness.

Inhaled

May cause irritation to the respiratory system including a burning sensation to the nose and throat. May cause dizziness and drowsiness.

Chronic

Prolonged exposure or repeated skin contact may cause dermatitis and sensitization.

No toxicological information is available for this product

Ultra Texture Paint Remover

12. ECOLOGICAL INFORMATION

No environmental impact information is available for this product. Avoid contaminating waterways, drains or sewers.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of material through a licensed waste contractor. Advise of flammable nature.

Discharging waste into drains, sewers and rivers is forbidden.

14. TRANSPORT INFORMATION

Road and Rail

UN Number - Non assigned Not classified as a dangerous good.

For marine transport it is undetermined if it is a marine pollutant

15. REGULATORY INFORMATION

This material is hazardous according to criteria of NOHSC

The constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS)

16. OTHER INFORMATION

The information herein is, to the best of our knowledge, correct and complete. It is meant to describe safety requirements of our products and should not be construed as guaranteeing specific properties. No warranty express or implied is made as to its accuracy, reliability or completeness.